Page 2 of 19

Response

Serial No.: 10/028,040 Confirmation No.: 2997

Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the aboveidentified application:

Listing of Claims

1. (Currently Amended) A planarization method comprising:

positioning a Group VIII metal-containing surface of a substrate to interface with a polishing surface, wherein the Group VIII metal is selected from the group of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

supplying a planarization composition in proximity to the interface; and planarizing the Group VIII metal-containing surface;

wherein the planarization composition comprises a complexing agent selected from the group of a cyclic diene, an organic <u>alkyl</u> amine, and combinations thereof.

- 2. (Original) The method of claim 1 wherein the Group VIII metal is present in an amount of about 50 atomic percent or more.
- (Original) The method of claim 2 wherein the Group VIII metal-containing surface of the substrate comprises a Group VIII metal in elemental form or an alloy thereof.
- 4. (Original) The method of claim 3 wherein the Group VIII metal-containing surface comprises elemental platinum or a platinum alloy.
- 5. (Original) The method of claim 4 wherein the Group VIII metal-containing surface comprises elemental platinum.

Page 3 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

6. (Currently Amended) [[The method of claim I]]A planarization method comprising:

positioning a Group VIII metal-containing surface of a substrate to interface with
a polishing surface, wherein the Group VIII metal is selected from the group of rhodium,
iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

supplying a planarization composition in proximity to the interface:[[and]]

planarizing the Group VIII metal-containing surface;
wherein the planarization composition comprises a complexing agent selected
from the group of a cyclic diene, an organic amine, and combinations thereof[[.]]; and

7. (Original) The method of claim 6 wherein the oxidizing agent is selected from the group consisting of a peroxide, a nitrate, a permanganate, and a combination thereof.

wherein the planarization composition further comprises an oxidizing agent.

- 8. (Original) The method of claim 1 wherein the polishing surface comprises a polishing pad and the planarization composition comprises a plurality of abrasive particles.
- 9. (Original) The method of claim 1 wherein the planarization composition comprises a plurality of abrasive particles having a hardness of no greater than about 9 Mohs.
- 10. (Original) The method of claim 9 wherein the plurality of abrasive particles comprise CeO₂, Al₂O₃, SiO₂, or combinations thereof.
- 11. (Original) The method of claim 1 wherein the substrate is a semiconductor substrate or substrate assembly.

Page 4 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

- 12. (Original) The method of claim 1 wherein the Group VIII metal-containing surface is removed relative to an oxide layer at a selectivity ratio of at least about 10:1.
- 13. (Original) The method of claim 1 wherein the cyclic diene is selected from the group consisting of 1,5-cyclooctadiene (COD), 1,5-dimethyl-1,5-cyclooctadiene, and a combination thereof.
- 14. (Currently Amended) The method of claim 1 wherein the organic <u>alkyl</u> amine is selected from the group ethylamine, methylamine, triethylamine, trimethylamine, and combinations thereof.
- 15. (Original) The method of claim 1 wherein the polishing surface comprises a fixed abrasive article.
- 16. (Currently Amended) A planarization method comprising:

positioning a Group VIII metal-containing surface of a substrate to interface with a polishing surface, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

supplying a planarization composition in proximity to the interface; and planarizing the Group VIII metal-containing surface;

wherein the planarization composition comprises an organic <u>alkyl</u> amine and an organic chelating acid <u>or salt thereof</u>.

17. (Original) The method of claim 16 wherein the Group VIII metal is present in an amount of about 50 atomic percent or more.

Page 5 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

- 18. (Original) The method of claim 16 wherein the Group VIII metal-containing surface comprises elemental platinum.
- 19. (Original) The method of claim 16 wherein the planarization composition further comprises an oxidizing agent.
- 20. (Original) The method of claim 19 wherein the oxidizing agent is selected from the group consisting of a peroxide, a nitrate, a permanganate, and a combination thereof.
- 21. (Original) The method of claim 16 wherein the polishing surface comprises a polishing pad and the planarization composition comprises a plurality of abrasive particles.
- 22. (Original) The method of claim 16 wherein the planarization composition comprises a plurality of abrasive particles having a hardness of no greater than about 9 Mohs.
- 23. (Original) The method of claim 22 wherein the plurality of abrasive particles comprise CeO₂, Al₂O₃, SiO₂, or combinations thereof.
- 24. (Original) The method of claim 16 wherein the substrate is a semiconductor substrate or substrate assembly.
- 25. (Original) The method of claim 16 wherein the organic chelating acid is selected from the group consisting of acetic acid, ascorbic acid, citric acid, propenoic acid, tartaric acid, succinic acid, and combinations thereof.

Page 6 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

- 26. (Currently Amended) The method of claim 16 wherein the organic <u>alkyl</u> amine is selected from the group consisting of ethylamine, methylamine, triethylamine, trimethylamine, and combinations thereof.
- 27. (Original) The method of claim 16 wherein the polishing surface comprises a fixed abrasive article.
- 28. (Currently Amended) A planarization method comprising:

positioning a Group VIII metal-containing surface of a substrate to interface with a polishing surface, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof; supplying a planarization composition in proximity to the interface; and

wherein the planarization composition comprises a <u>plurality of</u> abrasive particles and a complexing agent; and further wherein a majority of the plurality of abrasive particles are CeO₂ abrasive particles.

29. (Original) The method of claim 28 wherein the Group VIII metal is present in an amount of about 50 atomic percent or more.

planarizing the Group VIII metal-containing surface;

- (Original) The method of claim 28 wherein the Group VIII metal-containing surface comprises elemental ruthenium.
- 31. (Original) The method of claim 28 wherein the planarization composition further comprises an oxidizing agent.

Page 7 of 19

Response

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

- 32. (Original) The method of claim 28 wherein the complexing agent is selected from the group consisting of an organic chelating acid, an organic amine, a cyclic diene, and combinations thereof.
- 33. (Original) The method of claim 32 wherein the organic chelating acid is selected from the group consisting of acetic acid, ascorbic acid, eitric acid, propenoic acid, tartaric acid, succinic acid, and combinations thereof.
- 34. (Currently Amended) The method of claim 32 wherein the organic <u>alkyl</u> amine is selected from the group consisting of ethylamine, methylamine, triethylamine, trimethylamine, and combinations thereof.
- 35. (Original) The method of claim 32 wherein the cyclic diene is selected from the group consisting of 1,5-cyclooctadiene (COD), 1,5-dimethyl-1,5-cyclooctadiene, and a combination thereof.
- 36. (Original) The method of claim 28 wherein the polishing surface comprises a polishing pad.
- 37. (Currently Amended) A planarization method comprising:

positioning a Group VIII metal-containing surface of a substrate to interface with a polishing surface, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

supplying a planarization composition in proximity to the interface; and planarizing the Group VIII metal-containing surface;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic <u>alkyl</u> amine, [[an organic

Page 8 of 19

Response

Scrial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

chelating acid]]acetic acid, ascorbic acid, propenoic acid, succinic acid, salts of the acids, and combinations thereof; and

further wherein the method is carried out in one step.

38. (Currently Amended) [[The method of claim 37]]A planarization method comprising:

positioning a Group VIII metal-containing surface of a substrate to interface with
a polishing surface, wherein the Group VIII metal is selected from the group consisting
of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;
supplying a planarization composition in proximity to the interface:[[and]]
planarizing the Group VIII metal-containing surface;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic amine, an organic chelating acid and combinations thereof; and

further wherein the method is carried out in one step[[.]] : and wherein the planarization composition further comprises an oxidizing agent.

39. (Currently Amended) A planarization method comprising:

providing a semiconductor substrate or substrate assembly including at least one region of a platinum-containing surface;

providing a polishing surface;

providing a planarization composition at an interface between the at least one region of platinum-containing surface and the polishing surface;

and

planarizing the at least one region of platinum-containing surface;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic <u>alkyl</u> amine, and combinations thereof.

Page 9 of 19

Response

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

40. (Currently Amended) [[The method of claim 39]] A planarization method comprising:

providing a semiconductor substrate or substrate assembly including at least one
region of a platinum-containing surface;

providing a polishing surface;

providing a planarization composition at an interface between the at least one region of platinum-containing surface and the polishing surface; and

planarizing the at least one region of platinum-containing surface;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic amine, and combinations thereof[[.]]; and

wherein the planarization composition further comprises an oxidizing agent.

41. (Currently Amended) A planarization method comprising:

providing a semiconductor substrate or substrate assembly including at least one region of a platinum-containing surface;

providing a polishing surface;

providing a planarization composition at an interface between the at least one region of platinum-containing surface and the polishing surface;

and

planarizing the at least one region of platinum-containing surface;
wherein the planarization composition comprises an organic <u>alkyl</u> amine and an organic chelating acid or salt thereof.

42. (Original) The method of claim 41 wherein the planarization composition further comprises an oxidizing agent.

Page 10 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

43. (Currently Amended) A planarization method comprising:

providing a semiconductor substrate assembly including at least one region of a platinum-containing surface;

providing a polishing surface;

providing a planarization composition at an interface between the at least one region of platinum-containing surface and the polishing surface;

and

planarizing the at least one region of platinum-containing surface;

wherein the planarization composition comprises <u>a plurality of</u> abrasive particles and a complexing agent; and

further wherein a majority of the plurality of abrasive particles are CeO₂ abrasive particles.

- 44. (Original) The method of claim 43 wherein the planarization composition further comprises an oxidizing agent.
- 45. (Original) The method of claim 43 wherein the polishing surface comprises a polishing pad.
- 46. (Currently Amended) A planarization method comprising:

providing a semiconductor substrate or substrate assembly including at least one region of a platinum-containing surface;

providing a polishing surface;

providing a planarization composition at an interface between the at least one region of platinum-containing surface and the polishing surface; and planarizing the at least one region of platinum-containing surface;

Page 11 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic <u>alkyl</u> amine, [[an organic chelating acid]]acetic acid, ascorbic acid, propenoic acid, succinic acid, salts of the acids, and combinations thereof; and

further wherein the method is carried out in one step.

47. (Currently Amended) [[The method of claim 44]] A planarization method comprising:

providing a semiconductor substrate or substrate assembly including at least one region of a platinum-containing surface;

providing a polishing surface;

providing a planarization composition at an interface between the at least one region of platinum-containing surface and the polishing surface; and

planarizing the at least one region of platinum-containing surface;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic amine, an organic chelating acid, and combinations thereof; [[and]]

further wherein the method is carried out in one step; and[[.]] wherein the planarization composition further comprises an oxidizing agent.

48. (Currently Amended) A planarization method for use in forming a capacitor or barrier layer, the method comprising:

providing a semiconductor substrate or substrate assembly having a patterned dielectric layer formed thereon and a Group VIII metal-containing layer formed over the patterned dielectric layer, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

Page 12 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

positioning a first portion of a polishing surface for contact with the Group VIII metal-containing layer;

providing a planarization composition in proximity to the contact between the polishing surface and the Group VIII metal-containing layer; and

planarizing the Group VIII metal-containing layer;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic <u>alkyl</u> amine, and combinations thereof.

49. (Currently Amended) [[The method of claim 48]] A planarization method for use in forming a capacitor or barrier layer, the method comprising:

providing a semiconductor substrate or substrate assembly having a patterned dielectric layer formed thereon and a Group VIII metal-containing layer formed over the patterned dielectric layer, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

positioning a first portion of a polishing surface for contact with the Group VIII metal-containing layer;

providing a planarization composition in proximity to the contact between the polishing surface and the Group VIII metal-containing layer; and

planarizing the Group VIII metal-containing layer;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic amine, and combinations thereof; and[[.]]

wherein the planarization composition further comprises an oxidizing agent.

Page 13 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL. -CONTAINING SURFACES USING

COMPLEXING AGENTS

50. (Currently Amended) A planarization method for use in forming a capacitor or barrier layer, the method comprising:

providing a semiconductor substrate or substrate assembly having a patterned dielectric layer formed thereon and a Group VIII metal-containing layer formed over the patterned dielectric layer, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

positioning a first portion of a polishing surface for contact with the Group VIII metal-containing layer,

providing a planarization composition in proximity to the contact between the polishing surface and the Group VIII metal-containing layer;

and

planarizing the Group VIII metal-containing layer;

wherein the planarization composition comprises an organic <u>alkyl</u> amine and an organic chelating acid <u>or salt thereof.</u>

- 51. (Original) The method of claim 50 wherein the planarization composition further comprises an oxidizing agent.
- 52. (Currently Amended) A planarization method for use in forming a capacitor or barrier layer, the method comprising:

providing a semiconductor substrate or substrate assembly having a patterned dielectric layer formed thereon and a Group VIII metal-containing layer formed over the patterned dielectric layer, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

Page 14 of 19

Response

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

positioning a first portion of a polishing surface for contact with the Group VIII metal-containing layer;

providing a planarization composition in proximity to the contact between the polishing surface and the Group VIII metal-containing layer;

and

planarizing the Group VIII metal-containing layer;

wherein the planarization composition comprises <u>a plurality of</u> abrasive particles and a complexing agent; and

further wherein a majority of the plurality of abrasive particles are CeO₂ abrasive particles.

- 53. (Original) The method of claim 52 wherein the planarization composition further comprises an oxidizing agent.
- 54. (Original) The method of claim 52 wherein the polishing surface comprises a polishing pad.
- 55. (Currently Amended) A planarization method for use in forming a capacitor or barrier layer, the method comprising:

providing a semiconductor substrate or substrate assembly having a patterned dielectric layer formed thereon and a Group VIII metal-containing layer formed over the patterned dielectric layer, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

positioning a first portion of a polishing surface for contact with the Group VIII metal-containing layer;

Page 15 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

providing a planarization composition in proximity to the contact between the polishing surface and the Group VIII metal-containing layer;

and

planarizing the Group VIII metal-containing layer;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic <u>alkyl</u> amine, [[an organic chelating acid]]acetic acid, ascorbic acid, propenoic acid, succinic acid, salts of the acids, and combinations thereof; and

further wherein the method is carried out in one step.

56. (Currently Amended) [[The method of claim 55]] A planarization method for use in forming a capacitor or barrier layer, the method comprising:

providing a semiconductor substrate or substrate assembly having a patterned dielectric layer formed thereon and a Group VIII metal-containing layer formed over the patterned dielectric layer, wherein the Group VIII metal is selected from the group consisting of rhodium, iridium, ruthenium, osmium, palladium, platinum, and combinations thereof;

positioning a first portion of a polishing surface for contact with the Group VIII metal-containing layer:

providing a planarization composition in proximity to the contact between the polishing surface and the Group VIII metal-containing layer; and

planarizing the Group VIII metal-containing layer;

wherein the planarization composition comprises a complexing agent selected from the group consisting of a cyclic diene, an organic amine, an organic chelating acid, and combinations thereof:[[and]]

<u>further wherein the method is carried out in one step; and</u> wherein the planarization composition further comprises an oxidizing agent.

Page 16 of 19

Serial No.: 10/028,040 Confirmation No.: 2997 Filed: December 21, 2001

For: METHODS FOR PLANARIZATION OF GROUP VIII METAL -CONTAINING SURFACES USING

COMPLEXING AGENTS

57. (Original) The method of claim 55 wherein the polishing surface comprises a polishing pad.

58. (Original) The method of claim 55 wherein the polishing surface comprises a fixed abrasive article.